## **HellermannTyton**

## **Specification Sheet**

Part Number: 380-03005



Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg

<b>Article Number</b>	380-03005

Type ShrinKit 321 Universal Basic

Color Blue (BU) White (WH) Black (BK) Green-Yellow (GNYE) Red (RD)

Features & Benefits • The assor

The assorted universal kit contains 177 pieces of assorted color polyolefin heat shrink tubing invarious diameter sizes and lengths.
The 3 to 1 shrink ratio covers a wide range of components, sizes and shapes.
Material is self-extinguishing, for use in applications in

which non- flammable materials are required.

Quantity Per kit

Duadinat	Dagar!	
Product	Descri	ption

Heat shrink kits are a convenient solution for "on-the-job" projects. This 3 to 1 shrink ratio tubing features a flexible, thin wall to cover a wide range of components, sizes and shapes. The polyolefin material has a higher operating temperature range than general-use heat shrink tubing. Theassorted universal kit contains an assortment of colored tubing in variety of diameter sizes and lengths.

**Short Description** 

Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg

**Global Part Name** 

ShrinKit 321 Universal Basic-PO-X-MIX

Contents of pkg/kit

This compact kit contains a selection of widely used coloured tubing in five sizes and five colours in different lengths. The kit contains 177 pieces in total.

**Variant** 

Thin-Wall

Material

Polyolefin, cross-linked (PO-X)

**Material Shortcut** 

PO-X

**Flammability** 

Self-Extinguishing

Halogen free

Nο

**Operating Temperature (Metric)** 

-67°F to +275°F (-55°C to +135°C)

Reach Complaint(Article 33)

Yes

**ROHS Complaint** 

Yes

Certification/Specification WEB	SAE - AMS - DTL-23053/5 Class 1
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	3926909988
Content Unit(BMEcat)	pcs.

0.16

© 2020 HellermannTyton. All Rights Reserved.

Weight (Metric)

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions