



## Product Search

Your Search for "nlt4" returned 9 Match(es):



**Speakon® Lockable Loudspeaker Connector**



**STX Series**



**NLT4FP**  
4 pole female chassis connector in metal housing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4FP-BAG**  
4 pole female chassis connector with black-chrome metal housing, chuck and bushing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4FX**  
4 pole female cable connector with in nickel housing, chuck and bushing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4FX-BAG**  
4 pole female cable connector with black-chrome metal housing, chuck and bushing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4MD-V**  
4 pole male chassis connector, metal housing, PCB version. Rear panel mount using self tapping 2.9 mm PT® screws (A-screw, E-screw or E-screw-Ni). Screws not included, please refer to XLR Accessories.

[Specs](#) [PDF](#) [DXF](#)



**NLT4MP**  
4 pole male chassis connector, metal housing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4MP-BAG**  
4 pole male chassis connector with black-chrome metal housing.

[Specs](#) [PDF](#) [DXF](#)



**NLT4MX**  
4 pole male cable connector with chuck and bushing, metal housing.

[Specs](#) [PDF](#) [DXF](#)



### NLT4MX-BAG



4 pole male cable connector with black-chrome metal housing, chuck and bushing.

[Specs](#) [PDF](#) [DXF](#)

**N**...Standard Neutrik® product

**N**...Non standard Neutrik® product, only available from Neutrik® USA Inc.





Allgemeintoleranzen ISO 2768-m	Werkstoff	Massstab:		Datum	Name
Zeichnung urheberrechtlich geschuetzt (DIN 34) (C)	-	2:1	Gezeichnet	15.01.02	Dobler
	-	(A4)	Freigegeben	-	-
Benennung	NLT4FX NLT4FX		Geändert	09.06.04	Payr
			Aend.-Nr. 173-2004		Aend.-Index D
NEUTRIK AG FL-9494 SCHAAN			Ersatz fuer:		Blatt 1 von 1 Bl.
			Zeichn. Nr.		ST-NLT4FX