

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Thermal transfer printer, 300 dpi, incl. European power cable, US power cable, USB cable, and perforation cutter. DVD with CLIP PROJECT advanced planning and marking software, user manuals in various languages, Windows® printer driver, and firmware. German/English user manual in DIN A5 format

Why buy this product

- The THERMOMARK W2 is an industrial printer with two 300 dpi print heads for double-sided printing of large quantities of shrink sleeves in roll/continuous format
- □ Double-sided printing ensures optimum marking legibility
- ☑ Using the perforation cutter, the shrink sleeve can be quickly and easily perforated in the desired lengths. The connected markers can be easily separated along the perforations.
- Easy and intuitive operation via touch color display
- ☑ Easy and flexible control by means of the multilingual CLIP PROJECT planning and marking software. With the option of direct entry or import of printing information from various data sources
- USB and Ethernet connections



Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 327329
GTIN	4046356327329
Weight per Piece (excluding packing)	99.990 g
Custom tariff number	84433210
Country of origin	Germany

Technical data

General

Interface	Serial (RS-232)



Technical data

General

	USB 2.0
Weight	21 kg

Dimensions

Length	554 mm
Height	405 mm
Width	780 mm

Connection data

Minimum voltage	100 V AC
Max. voltage	240 V AC

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0	24190103
eCl@ss 4.1	24190103
eCl@ss 5.0	19020205
eCl@ss 5.1	19020205
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	19140104
eCl@ss 9.0	19140104

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001672
ETIM 6.0	EC001672

UNSPSC

UNSPSC 6.01	43172501
UNSPSC 7.0901	43212107
UNSPSC 11	43172501



Classifications

UNSPSC

UNSPSC 12.01	43212107
UNSPSC 13.2	43212108

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details

EAC [][7500651.22.01.00240

RU *-DE.A*30.B.02513

Accessories

Accessories

Documentation

Manual - UM IA THERMOMARK W2 - 2910703

Manual



Ink ribbon



Accessories

Ink ribbon - THERMOMARK-RIBBON 110-WMSU - 0801358



Ink ribbon, for roll printer for printing product groups WMS... and WMS-2 HF..., width: 110 mm, color: black

Ink ribbon - THERMOMARK-RIBBON 110-WMSU WH - 0801359



Ink ribbon, for roll printer for printing product group WMS... (black), width: 110 mm, color: white

Ink ribbon - THERMOMARK-RIBBON 64-WMSU - 0801360



Ink ribbon, for roll printer for printing product groups WMS... and WMS-2 HF..., width: 64 mm, color: black

Ink ribbon - THERMOMARK-RIBBON 64-WMSU WH - 0801361



Ink ribbon, for roll printer for printing product group WMS... (black), width: 64 mm, color: white

Planning and marking software

Software - CLIP-PROJECT ADVANCED - 5146040



Multilingual software for convenient configuration of Phoenix Contact products on standard DIN rails.



Accessories

Software - CLIP-PROJECT PROFESSIONAL - 5146053



Multilingual software for terminal strip configuration. A marking module enables the professional marking of markers and labels for identifying terminal blocks, conductors and cables, and devices.

Printing system accessories

Media hub - THERMOMARK ROLL-ERH - 5146448



External media hub, for the THERMOMARK ROLL, for roll diameter of 150 to 400 mm

Media hub - THERMOMARK-ERH 500 - 5146309



External media hub, for the THERMOMARK ROLL, for roll diameter of up to 500 mm

Accessories - THERMOMARK-CP - 5145371



Cleaning pen, for thermal transfer printers

Phoenix Contact 2018 @ - all rights reserved http://www.phoenixcontact.com