



What can we help you find?

[Products](#) [Industries](#) [Resources](#) [About TE](#) [My Account](#) [Innovation](#) [Support Center](#)**202D132-4/42-0 Product Details**[+ Share](#) [Print](#) [Email](#)**202D132-4/42-0**TE Internal Number: 808381-000
 **Active****Molded Parts** Always EU RoHS/ELV Compliant (Statement of Compliance)**Product Highlights:**

- Molded Part Type = Molded Boot
- Family Name = 202D1
- Straight
- General Purpose Application
- Entry Size, Braided or Magneform Adapter = 6, 7, 8, 9, 10

[View all Features](#)**Quick Links**

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)[Request Sample](#)[Find Similar Products](#)[Buy Product](#)**Documentation & Additional Information****Product Drawings:**

- [Boot, Straight, with Lips](#) (PDF, English)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

[List all Documents](#)**Additional Information:**

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)**Product Type Features:**

- [Molded Part Type](#) = Molded Boot
- [Family Name](#) = 202D1
- Angle = Straight
- Adhesive Description = General Purpose Pre-Coat Adhesive
- Size = 32

Mechanical Attachment:

- Adhesive Pre-Coating = With

Dimensions:

- Adapter Entry Size Outside Diameter (Min-Max) (mm [in]) = 14.20 - 28.40 [0.559 - 1.118]
- Cable Diameter Range (mm [in]) = 6.60 - 14.70 [0.260 - 0.579]

Body Features:

- Material = Polyolefin Flexible Modified

Housing Features:

- Entry Size, Braided or Magneform Adapter = 6, 7, 8, 9, 10
- Entry Size, Tinel-Lock Adapter = 5, 6, 7, 8, 10, 12
- Entry Size - Solid or Fixed Adapter = 4 - 6
- Entry Size - Spin Coupling Adapter = 6 - 12
- [Material Systems Code](#) = 10

Configuration Features:

- Material Code = 4

Industry Standards:

- Government/Industry Qualification = No
- Approved Standards = AS 85049, UL224 E85831
- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Environmental:

- Operating Temperature (°C) = -20 - +60

Operation/Application:

- Application = General Purpose

Purchasing Information:

- Adhesive Code = 42

Other:

- Brand = Raychem

Corporate Information[About TE](#)[Investors](#)[News Room](#)**Quick Links**[Distributor Inventory](#)[Product Cross Reference](#)[Documents & Drawings](#)**Customer Support**[Email or Chat With Us](#)[Find a Phone Number](#)[Knowledge Base](#)

